

## SAFETY DATA SHEET

HYDRODOS A7

Page: 1

Compilation date: 26/04/2017

Revision date: 11/02/2019

Revision No: 6

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name:** HYDRODOS A7**CAS number:** 7758-19-2**EINECS number:** 231-836-6**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** Preparation for the production of Chlorine Dioxide solutions. For use in potable and industrial grade waters.**1.3. Details of the supplier of the safety data sheet****Company name:** Hydrotec (UK) Ltd

5 Manor Courtyard

Hughenden Avenue

High Wycombe

Buckinghamshire

HP13 5RE

**Tel:** 01494 796040**Fax:** 01494 796049**Email:** [sales@hydrotec.co.uk](mailto:sales@hydrotec.co.uk)**1.4. Emergency telephone number****Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Acute Tox. 4: H302; Acute Tox. 3: H311; Skin Corr. 1A: H314; -: EUH032**Most important adverse effects:** Contact with acids liberates very toxic gas. Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage.**2.2. Label elements****Label elements:****Hazard statements:** EUH032: Contact with acids liberates very toxic gas.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

**Hazard pictograms:** GHS05: Corrosion

GHS06: Skull and crossbones



[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 2

**Signal words:** Danger

**Precautionary statements:** P260: Do not breathe fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361+P364: Take off immediately all contaminated clothing and wash it before reuse.

## 2.3. Other hazards

**Other hazards:** Contact with acids liberates toxic gas. This product is for specialist use only.

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM CHLORITE - REACH registered number(s): 01-2119529240-51-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-836-6	7758-19-2	-	Skin Corr. 1A: H314; Acute Tox. 1: H310+H330; STOT RE 2: H373; Aquatic Chronic 1: H410; -: EUH032; Acute Tox. 3: H301	1-10%

**Contains:** Stabilised Chlorine Dioxide solution.

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 3

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes. Toxic.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 4

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.  
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.1ppm as ClO <sub>2</sub>	-	-	-

#### Hazardous ingredients:

#### SODIUM CHLORITE

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.1ppm as ClO <sub>2</sub>	-	-	-

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Neoprene gloves. PVC gloves. Chemical resistant protective gloves (EN 374)

Breakthrough time of the glove material > 1 hour.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand. When handling this product, the use of safety glasses with side shields is recommended. The applicable European Standard can be found in EN 166.

**Skin protection:** Impermeable protective clothing.

## Section 9: Physical and chemical properties

[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 5

## 9.1. Information on basic physical and chemical properties

**State:** Liquid  
**Colour:** Colourless  
**Odour:** Barely perceptible odour  
**Oxidising:** Oxidising (by EC criteria)  
**Solubility in water:** Highly soluble  
**Viscosity:** Non-viscous  
**Boiling point/range°C:** ca 100  
**Melting point/range°C:** -3 deg C  
**Flash point°C:** >93  
**Relative density:** 1.04-1.09  
**pH:** >11.5

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Flames.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	284	mg/kg
ORL	RAT	LD50	532	mg/kg

[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 6

## Hazardous ingredients:

### SODIUM CHLORITE

ORL	RAT	LD50	532	mg/kg
-----	-----	------	-----	-------

## Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Acute toxicity (ac. tox. 3)	DRM	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

## Section 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicity values:

Species	Test	Value	Units
Algae	72H IC50	1.7	mg/l
Daphnia magna	48H EC50	>1	mg/l
FISH	96H LC50	>500	mg/l

## Hazardous ingredients:

### SODIUM CHLORITE

Algae	72H IC50	1.7	mg/l
Daphnia magna	48H EC50	>1	mg/l
FISH	96H LC50	>500	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

[cont...]

# SAFETY DATA SHEET

HYDRODOS A7

Page: 7

## 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Containers must be disposed of in a safe way.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH032: Contact with acids liberates very toxic gas.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310+H330: Fatal in contact with skin or if inhaled

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H373: May cause damage to organs ([spleen]) through prolonged or repeated exposure ([oral]).

H410: Very toxic to aquatic life with long lasting effects.

[cont...]

## SAFETY DATA SHEET

HYDRODOS A7

Page: 8

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.